

**Einsatzbeispiele /
Applications**

Fertigung hochwertiger Feuerfestprodukte mit niedrigem Na₂O-Gehalt, z.B. Brennhilfsmittel, Massen, Mörtel; Herstellung mechanisch, chemisch und elektrisch extrem belastbarer Formstücke, z.B. über das Extrudieren oder Verpressen.


Manufacturing of high-quality refractories with low soda content, e.g. saggars, masses, mortars; production by extrusion, pressing etc. of wear-resistant parts, subjected to extremely high mechanical, chemical and electrical loads.

**Durchschnittsanalyse /
Typical analysis**

Al ₂ O ₃	[%]	≈ 99.8
Na ₂ O total		≤ 0.1
CaO		≤ 0.04
Fe ₂ O ₃		≤ 0.03
SiO ₂		≤ 0.05
α-Al ₂ O ₃	[%]	≥ 95
Glühverlust	[%]	≤ 0.1
Spezifische Oberfläche / Specific Surface Area (BET)	[m ² /g]	0.8 - 1.5
Primärkorn / Primary Crystal	[µm]	≈ 2.5
Schüttdichte / Bulk Density	[kg/m ³]	≈ 600

**Korngrößenverteilung /
Particle Size Distribution (Cilas 1064)**

d ₁₀	0.6 - 1.1 [µm]
d ₅₀	2.5 - 5 [µm]
d ₉₀	7 - 13 [µm]
> 45 µm	0 - 3 [%]



Shipping Information

Transportation classification: not regulated for transportation
Harmonized tariff number: 28182000

Packaging and minimum order quantity information is available from sales or customer service.

Safety and Handling Information

For specific safety, toxicity and handling information, please refer to the material safety data sheet on this product.

Chemical Registration Numbers

Chem. Bezeichnung:	Aluminiumoxid
Formel:	Al_2O_3
CAS No. :	1344-28-1
EG-/EINECS No.:	215-691-6
UN-Nr.:	~



▲, ALBEMARLE, MARTINSWERK, MARTOXID, COMPALOX are trademarks of Albemarle Corporation

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patents.